

FABRIC BANNER

800mm

Artwork Guidelines & Sizing

ARTWORK SIZE:

Total Artwork size (100% 300dpi):

852mm (W) x 2060mm (H)

Artwork Size (25% 300dpi):

213mm (W) x 515mm (H)

PLEASE NOTE:

For optimum printing results artwork documents should be submitted in vector format in either EPS or High Quality PDF.

Ensure that all text has been outlined, any images or placed items are linked within the document and that all layers have been flattened.

- Artwork includes Bleed Marks
- Set up your artwork in CMYK at **300dpi**
- The artwork should be at **25%** size
- Pantone colours accepted

CMYK Printing of Solid Black - To achieve a solid black in your artwork, please create solid black with the following colour reference:

C:100 / M:100 / Y:100 / K:100



01733 511030
sales@xldisplays.co.uk

FRONT



www.xldisplays.co.uk

01733 511030

FABRIC BANNER 800MM

ARTWORK CHECKLIST

Please follow the 5 steps below before submitting print ready artwork files.

- 1** Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- 2** Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- 3** Ensure your artwork extends to outer edge of the bleed.
- 4** All linked images used on this template must have a minimum resolution of 300dpi.
- 5** All fonts must be converted to outlines - no live copy to remain.

SAFE AREA

BACK



www.xldisplays.co.uk

01733 511030

FABRIC BANNER 800MM

ARTWORK CHECKLIST

Please follow the 5 steps below before submitting print ready artwork files.

- 1** Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- 2** Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- 3** Ensure your artwork extends to outer edge of the bleed.
- 4** All linked images used on this template must have a minimum resolution of 300dpi.
- 5** All fonts must be converted to outlines - no live copy to remain.

SAFE AREA