



01733 511030

sales@xldisplays.co.uk

www.xldisplays.co.uk

ENGLISH

INFLATABLE TENTS


VERSATILE, PREMIUM QUALITY, EASY TO USE



SERIES	04-07
COMPONENTS	08-09
BRANDING	10-13
FEATURES	14-17
EQUIPMENT	20-21
STYLISH ADDITIONS	22-23



THE INFLATABLE X GLOO TENT



Incomparably innovative and versatile as:

- a pavilion for the impressive presentation of your products at trade fairs, events and roadshows
- an outdoor event tent on asphalt, the beach, the mountain and the most rugged terrain
- a rescue tent for the effective protection of people and equipment
- a mobile office and shelter at temporary job sites and mobile construction sites
- a solution for temporary space for YOUR application

...and always featuring:

- ample advertising space
- an attractive design
- lightweight construction and easy handling
- quick setup times
- visibly high-quality workmanship.

THE XD TENT SERIES

TENTS FROM 4X4M WUP TO MASSIVE TENT COMBINATIONS



XD 4 TENT

Ideal for smaller construction areas and exhibition stands starting at 4x4m. The dome-shaped roof offers a perfect presentation space for your products. Thanks to the optional components available, this space can be individually designed, and/or expanded as needed by combining several tents. Another advantage: Light-weight and compact, the XD 4 tent can be transported by just one person and set up very quickly.

SPECIFICATIONS

Side length:	13,1 ft	4,0 m
Entrance height:	6,9 ft	2,1 m
Total height:	8,9 ft	2,7 m
Tube diameter:	0,8 ft	0,25 m
Covered area:	102,3 ft²	9,5 m²
Weight:	33 lb	15,0 kg
Setup time with electric pump:	5 min	

COMPONENTS

Standard Wall	Canopy
Entrance Wall	Canopy Banner
Window Wall	Tunnel Parts

XD 5 TENT

Our most popular model. Thanks to additional components such as roof and canopy banners, it can be perfectly adapted to suit a variety of requirements. Its size also offers enough space to accommodate both larger groups of visitors or products such as jet skis or compact cars. Despite the space it offers, the weight of the XD 5 –less than 20 kg–makes it light and compact. It can be carried by one person and set up quickly.

SPECIFICATIONS

Side length:	16,4 ft	5,0 m
Entrance height:	8,2 ft	2,45 m
Total height:	10,7 ft	3,25 m
Tube diameter:	0,9 ft	0,30 m
Covered area:	161 ft²	15,0 m²
Weight:	44 lb	20,0 kg
Setup time with electric pump:	10 min	

COMPONENTS

Standard Wall	Canopy
Entrance Wall	Canopy Banner
Window Wall	Tunnel Parts

XD 6 TENT

Thanks to the enormous amount of space and optional additional components, such as roof and canopy banners, the XD 6 model offers a very customer-oriented tent solution. This versatile tent provides the right presentation environment for your brand and larger products, while keeping your displays, seating and guests out of the rain and elements. With the addition of custom, high-quality printing it is guaranteed to be an eyecatcher.

SPECIFICATIONS

Side length:	19,7 ft	6,0 m
Entrance height:	9,8 ft	3,0 m
Total height:	12,8 ft	3,90 m
Tube diameter:	1,1 ft	0,35 m
Covered area:	226 ft²	21,0 m²
Weight:	55 lb	25,0 kg
Setup time with electric pump:	15 min	

COMPONENTS

Standard Wall	Canopy
Entrance Wall	Canopy Banner
Window Wall	Tunnel Parts

XD 7 TENT - COMING SOON


The XD 7 tent provides a huge covered area for your big event and offers ample space for effective advertising through high-quality printing. Despite its impressive size, the XD 7 weighs only 30 kg. With the help of an electric pump, it can be set up by two people in about 25 minutes.

SPECIFICATIONS

Side length:	23 ft	7,0 m
Entrance height:	11,5 ft	3,5 m
Total height:	15 ft	4,55 m
Tube diameter:	1,3 ft	0,40 m
Covered area:	312 ft²	29,0 m²
Weight:	66 lb	30,0 kg
Setup time with electric pump:	25 min	

COMPONENTS

Standard Wall	Tunnel Parts
Entrance Wall	
Window Wall	




INCLUDED WITH DELIVERY

Tent, Hand Pump, Anchoring Line Set, User Manual and Repair Kit.

You can find more details in the specs sheets on our website..

THE XC TENT SERIES

A COMPACT TENT FOR 3X3M EXHIBITION AREAS



XC 3 TENT


The XC 3 tent gives ordinary 3x3-meter exhibition booths an extraordinary look. The high, dome-shaped roof provides a vaulted space in which visitors and users feel much more comfortable than in conventional pavilions and pole tents. Thanks to its minimal

weight (less than 8 kg), the convenient transport using the included backpack and the easy setup, one person can have the tent standing in just five minutes. The materials and processing methods used in the XC 3 guarantee a long product life.



INCLUDED WITH DELIVERY

Tent, Hand Pump, Anchoring Line Set, User Manual.



COMPONENTS

Entrance Wall
Window Wall
Standard Wall
Tunnel Parts

SPECIFICATIONS

Side length:	10,0 ft	3,0 m
Entrance height:	6,4 ft	1,95 m
Total height:	8,5 ft	2,6 m
Tube diameter:	8,0 in	0,2 m
Covered Area:	60,3 ft ²	5,6 m ²
Weight:	18,4 lb	8,32 kg
Setup time with electric pump:		5 min



„These tents look awesome! I am excited to do more projects together with X GLOO.“

Dan Paulsrud, GMR Marketing



„Was impressed with the quality of the your product. As a product designer I know the value of work that went into it: every aspect of the tent is very well thought through.“

Alexis Angelides, Carvingmagazine



COMPONENTS

Available wall and tunnel components provide a larger surface for branding, optionally divide the space in the tent and offer extra shade and protection from wind and weather.



STANDARD WALL

The Standard Wall provides complete privacy as well as generous advertising space. The convenient zipper system allows you to have your graphics facing inside or outside. **2-sided printing also available.**



ENTRANCE WALL


The Entrance Wall features a full-length vertical zipper to easily open or close the tent. The two halves can be held open to the sides using the attached toggle fasteners.



WINDOW WALL

The transparent PVC window in the Window Wall reliably protects against wind and weather, and lets in natural light. The wide area below the window offers a convenient advertising space.

OVERVIEW



CANOPY

The arc of the Canopy is created by means of its own inflatable tube at the front, which is inflated after zipping it onto the tent. The Canopy effectively increases the covered area of the tent.



CANOPY BANNER

The optional, exchangeable Canopy Banner zips in at the front of the Canopy to present your graphics prominently at the front of your booth.



TUNNEL PARTS

The Connecting Tunnel creates a visually seamless and weatherproof roof transition from one tent to the other.

BRANDING

For the individual color design and personalization of your tent, we offer

DIGITAL PRINTING

ON WHITE FABRIC

The brilliant colors achieved through dye-sublimation printing guarantees you the perfect appearance. This branding option includes full-surface dye-sublimation printing of your graphics across the entire tent roof and/or desired components. You simply provide us with your desired colors, logos, graphics and images. We then transfer your individual design via dye-sublimation printing onto our high-quality tent fabric, turning your event tent into a perfectly-branded eyecatcher.

REFERENCE PHOTOS > ∨



„You guys have done an amazing job with this, from the quality of material and design to the reproduction of our artwork, the X-GLOO is stunning! “

David Wilson, Director, Mauds Ice Creams



BRANDING

For the quick design and personalization of our in-stock tents, we offer

FOIL PRINTING



ON A VARIETY OF DYED FABRICS

Is the date of your event nearing but you still don't have a tent? For these occasions we keep a wide range of customizable products in stock. This means you can quickly get a unique, premium-quality tent as an eyecatcher for your event.

Using thermal-transfer foil printing, we apply your logos, graphics and images to partial areas of the tent in the in-stock color of your choice.

REFERENCE PHOTOS > v



FEATURES

The X GLOO tent combines a sophisticated design with the best possible incorporation of premium-quality materials.



VERSATILE



PREMIUM QUALITY



EASY TO USE

This unique combination is visible down to the smallest detail.



UV RESISTANT



FLAME RETARDANT



WATERPROOF



WIND RESISTANT



PRINTABLE



QUICK SETUP



MODULAR




ALL TERRAIN

FORM STABILITY AND AESTHETICS

Safety and durability as well as innovation and openness. Maximum stability is achieved thanks to excellent workmanship of premium-quality materials; the atmosphere thanks to the aerodynamic design.

FUNCTIONAL PRODUCT DESIGN

Built-in zipper gutters, welded seams and a PU fabric coating ensure maximum water resistance and protection in all weather conditions.



ONE-PUMP INFLATION

ONE-PUMP SYSTEM

Optional upgrade. The one-pump system enables the tent to be inflated more quickly by equally inflating all four legs of the tent simultaneously. The built-in backflow valves ensure that even if one tube of the tent develops an air leak the other tubes will remain inflated.

SPECIALLY SELECTED MATERIALS

are classified as „flame retardant“ based on the German standard DIN 4102-1 and the US standard CPAI 84 component. This makes the X GLOO tent ideal for indoor and outdoor use.



A UNIFIED CONNECTION SYSTEM


allows for the quick and easy attachment of optional components. By means of strain-resistant spiral zip-pers, walls, canopies and connecting tunnels can be connected to the tent. The clever roof connections on the tubes allow the roof to be easily exchanged; perfect for if you need a single tent in multiple designs.



PURPOSEFUL REINFORCEMENTS

on exposed details and seams that receive high strain ensure that the tent remains wind stable in winds of up to 60 km / h when properly anchored. This has been proven by multiple tests in a wind tunnel.

Optional anchoring and ballasting equipment can be attached to these specially reinforced points for setting up and securing your X GLOO tent on any surface and in any environment.



HIGH QUALITY VALVES

facilitate easy airflow into the air bladders for quick inflation and only release air when taking the tent down (by pressing the small red button in the valve).

The red overpressure valve opens automatically if the tube is excessively pressurized during inflation or from heating by the sun.



„MADE IN EUROPE“ QUALITY

We are careful to use primarily European-made materials in our tents. Sewing and assembly is performed in our own production facility located in Latvia.



WIND TUNNEL TESTED

We put great importance on taking a thorough approach to the development of our tents, to provide you a high-quality product that offers the best value for the money.

That's why we have tested our X GLOO tents in a professional wind tunnel. The results and findings helped guide us while shaping and processing, and when choosing sizes and materials.

Not least, the tests in the wind tunnel showed us where and how the statics and strength of the support structure (inflatable tubes) could be significantly improved and how an optimized relationship between column diameter and air pressure could be created.

The results are in these clear advantages:

The tubes lead steeply upwards, creating not only a more generous space, but also a larger roof area, which in turn increases the available branding space.

At the same time, wind and weather resistance could be ensured by reinforcing the fabric in sensitive areas: X GLOO tents withstand winds of up to 60 km / h and, in turn, offer a considerable advantage over folding tents and pole tents.

The implementation of our requirements and quality standards is ensured by our Latvian subsidiary MATO-TEX. Together, we develop and produce hand in hand for the satisfaction of our customers.



01733 511030
sales@xldisplays.co.uk
www.xldisplays.co.uk



„Set up was a breeze, tear down was a breeze and the tent turned out awesome!”

Casey Lorenzen, Creative Director Founder Denver Design Co.



„Thanks for your great tents. It's always fun to work with good equipment.”

Andy Schleede, Yogi Tea



„The tents are proving to be a hit! We are getting great feedback for them and the visitors are really liking it. Thanks!”

Mike Sparks, Marketing Werks

ADDITIONAL EQUIPMENT

offers numerous options for securing your tent in strong winds, optimizing its appearance and simplifying transport and installation.



Elektric Pump BRAVO TURBOMAX – for XC 3, XD 4, 5, 6



Hand Pump – for XC 3, XD 4, 5, 6



Elektric Pump BRAVO 230/2000 – for XC 3, XD 4, 5, 6, 7



Back Pack – for XC 3



Transport Box & Counter – for XC 3, XD 4



Multifunction Transport Bag L – for XD 4 / XL – for XD 5,6



Transport Handtruck and Easy Bag – für XD 4, 5, 6

PUMPS

STABILITY



Grass Anchor Sets – for all tent sizes



Tube Ballasts – for XC 3; XD 4, 5, 6



Water Ballast Barrels – for all tent sizes

Digitally-Printed Covers – a great seating option.



Wall Ballasts – ffor all tent sizes



Snow Anchor – for all tent sizes



Sand Anchor – for all tent sizes

TRANSPORT

LIGHT AND PROTECTION



LED Lighting Kit – for all tent sizes



Protection Foil – for all tent sizes

STYLISH ADDITIONAL



Transport Box - with wrap-around counter graphics, shelves and countertop.



inflatable Sofa



Inflatable Seat



Inflatable Table



Inflatable Stool



3D RENDERINGS UPON REQUEST

We pride ourselves on our creativity and imagination, but also our perseverance and patience—all qualities that make our team so smart.

Together, we serve clients worldwide and hope to be able to have you as the next enthusiastic and happy X GLOO customer.

We would be happy to create a 3D rendering of an X GLOO tent designed to your specifications.



01733 511030
sales@xldisplays.co.uk
www.xldisplays.co.uk

